

GREEN LABEL PLUS

INDOOR AIR QUALITY TESTING PROGRAM

THIS CERTIFIES THAT

W.F. Taylor LLC

800 College Dr, Dalton, GA 30720, United States

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

A-1 Latex Multi-Purpose Floor Adhesive

Adhesive Applied in Mass Per Surface Area: 8.57 g of product per 0.0361 m²

Private Office Range of Total VOCs: 0.5 mg/m³ or less

School Classroom Range of Total VOCs: 0.5 mg/m³ or less

Type of Product: Single Part Wet Adhesive

Description: Taylor 105, Taylor 2051, Taylor 2055, Taylor 2056, Taylor 2057, Taylor 2060, Taylor 2070, Taylor 2072, Taylor 2078, Taylor 2080, Taylor 2081, Taylor 2085, Taylor 2087, Taylor 2089, Taylor 2100, Taylor Agile, Taylor 722, Taylor 900, Taylor 2083, Taylor Steadfast



THE CARPET AND RUG INSTITUTE
100 S HAMILTON STREET
DALTON, GA 30720-4612
UNITED STATES



GLP05619



This product category complies with the concentration limits specified in California DPH Section 01350 Version 1.2.

USGBC® recognizes CRI's Green Label Plus certification for LEED (v4.1 and v5) EQ Credit Low-Emitting Materials.

Russ DeLozier, President
The Carpet and Rug Institute, Inc.

Certification Date: 12/30/2004
Expiration Date: 6/29/2026

To view all GLP-Certified products visit <https://carpet-rug.org/glpproducts>