

GREEN LABEL PLUS

INDOOR AIR QUALITY TESTING PROGRAM

THIS CERTIFIES THAT

Fibreworks Corp

2301 Brennen Business Ct Louisville, ky 40299 United States

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

A-6 Cove and Wall Base Adhesive

Adhesive Applied in Mass Per Surface Area: 8.67 g of product per 0.038 m²

Private Office Range of Total VOCs: 0.5 mg/m³ or less

School Classroom Range of Total VOCs: 0.5 mg/m³ or less

Type of Product: Single Part Wet Adhesive

Description: Fibreworks 257 Sisal Adhesive



THE CARPET AND RUG INSTITUTE

100 S HAMILTON STREET

DALTON, GA 30720-4612

UNITED STATES



GLP100149

This product complies with
California DPH Section 01350
Version 1.2

A USGBC® recognized third party
certification program for LEED v4.1
EQ Credit Low-Emitting Materials.



Russ DeLozier, President
The Carpet and Rug Institute, Inc.

Certification Date: 2/25/2019
Expiration Date: 3/31/2024

To view all GLP-Certified products visit <https://carpet-rug.org/glpproducts>