

# GREEN LABEL PLUS

## INDOOR AIR QUALITY TESTING PROGRAM

### THIS CERTIFIES THAT **Matter Surfaces**

Mats Inc.

179 Campanelli Pkwy, Stoughton, Massachusetts 02072, United States

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG  
INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

### **A-2 Pressure Sensitive**

Adhesive Applied in Mass Per Surface Area: 9.7 g of product per 0.0361 m<sup>2</sup>

Private Office Range of Total VOCs: 0.5 mg/m<sup>3</sup> or less

School Classroom Range of Total VOCs: 0.5 mg/m<sup>3</sup> or less

Type of Product: Single Part Wet Adhesive

Description: MI-1000 and MI-1500



THE CARPET AND RUG INSTITUTE

100 S HAMILTON STREET

DALTON, GA 30720-4612

UNITED STATES



## GLP100213



This product category complies with  
the concentration limits specified in  
California DPH Section  
01350 Version 1.2.

USGBC® recognizes CRI's Green Label  
Plus certification for LEED (v4.1 and v5)  
EQ Credit Low-Emitting Materials.

Russ DeLozier, President  
The Carpet and Rug Institute, Inc.

Certification Date: 5/24/2020  
Expiration Date: 12/27/2026

To view all GLP-Certified products visit <https://carpet-rug.org/glpproducts>

Page 1 of 1