GREEN LABEL PLUS

INDOOR AIR QUALITY TESTING PROGRAM

THIS CERTIFIES THAT

Tarkett USA, Inc.

Lexmark
1000 Vista Drive, Dalton, GA 30721, United States

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

A-6 Cove and Wall Base Adhesive

Adhesive Applied in Mass Per Surface Area: 6.22 g of product per 0.0316 m^2
Private Office Range of Total VOCs: 0.5 mg/m^3 or less
School Classroom Range of Total VOCs: 0.5 mg/m^3 or less
Type of Product: Single Part Wet Adhesive

Description: Tarkett 960

Russ DeLozier, President
The Carpet and Rug Institute, Inc.

Certification Date: 2/10/2021
Expiration Date: 12/27/2026

To view all GLP-Certified products visit https://carpet-rug.org/glpproducts

THE CARPET AND RUG INSTITUTE
100 S HAMILTON STREET
DALTON, GA 30720-4612
UNITED STATES

CRI GREEN LABEL +PLUS® Indoor Air Quality Testing Program

GLP100237

ANAB ANSI National Accreditation Board ACCREDITED ISO/IEC 17065 PRODUCT CERTIFICATION BODY #0754

This product category complies with the concentration limits specified in California DPH Section 01350 Version 1.2.

USGBC® recognizes CRI's Green Label Plus certification for LEED (v4.1 and v5) EQ Credit Low-Emitting Materials.