

GREEN LABEL PLUS

INDOOR AIR QUALITY TESTING PROGRAM

THIS CERTIFIES THAT

Mannington Mills, Inc.

Mannington Commercial
1844 Highway 41 South SE, Calhoun, GA 30701, United States

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG
INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

A-4 Latex Seam Adhesive

Adhesive Applied in Mass Per Surface Area: 2.81 g of product per 0.292 m²
Private Office Range of Total VOCs: 0.5 mg/m³ or less
School Classroom Range of Total VOCs: 0.5 mg/m³ or less
Type of Product: Single Part Wet Adhesive

Description: Mannington EdgeGuard



THE CARPET AND RUG INSTITUTE
100 S HAMILTON STREET
DALTON, GA 30720-4612
UNITED STATES



GLP100256

This product category complies
with the concentration limits
specified in California DPH Section
01350 Version 1.2.

A USGBC® recognized third party
certification program for LEED v4.1
EQ Credit Low-Emitting Materials.



Russ DeLozier, President
The Carpet and Rug Institute, Inc.

Certification Date: 6/3/2021
Expiration Date: 12/31/2025

To view all GLP-Certified products visit <https://carpet-rug.org/glpproducts>
Page 1 of 1