

GREEN LABEL PLUS

INDOOR AIR QUALITY TESTING PROGRAM

THIS CERTIFIES THAT

Tarkett USA, Inc.

30000 Aurora Rd, Solon, Ohio 44139, United States

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG
INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

A-2 Pressure Sensitive

Adhesive Applied in Mass Per Surface Area: 41.15 g of product per 0.0361 m²

Private Office Range of Total VOCs: 0.5 mg/m³ - 5.0 mg/m³

School Classroom Range of Total VOCs: 0.5 mg/m³ - 5.0 mg/m³

Type of Product: Single Part Wet Adhesive

Description: C-EX, C14



THE CARPET AND RUG INSTITUTE
100 S HAMILTON STREET
DALTON, GA 30720-4612
UNITED STATES



GLP12003

This product category complies
with the concentration limits
specified in California DPH Section
01350 Version 1.2.

A USGBC® recognized third party
certification program for LEED v4.1
EQ Credit Low-Emitting Materials.



Russ DeLozier, President
The Carpet and Rug Institute, Inc.

Certification Date: 3/1/2007
Expiration Date: 6/29/2025

To view all GLP-Certified products visit <https://carpet-rug.org/glpproducts>