

GREEN LABEL PLUS

INDOOR AIR QUALITY TESTING PROGRAM

THIS CERTIFIES THAT

XL Brands

198 Nexus Dr, Dalton, GA 30721, United States

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

A-2 Pressure Sensitive

Adhesive Applied in Mass Per Surface Area: 6.37 g of product per 0.0361 m²

Private Office Range of Total VOCs: 0.5 mg/m³ or less

School Classroom Range of Total VOCs: 0.5 mg/m³ or less

Type of Product: Single Part Wet Adhesive

Description: 2450 Black Conductive Adhesive, DriStix, DriStix 95, Dyna-Stix MOD, Dyna-Stix NPB, Dyna-Stix VB, Dyna-Stix VCT, Encore Maximum, Factor 4 Carpet Tile Adhesive, Grid Set Adhesive 2500, Grid Set Green Adhesive 2000, Performance Broadloom Adhesive 2100, Pressure Sensitive Adhesive 2300, Stix 2060, Stix 2121, Stix 2230, Stix 3200, Stix 5300, Stix 5400, Stix 5405, Stix 5500, Stix 5555, Stix 5600, Stix 5650, Stix 5800, Stix 5850, Stix 5900, Aerosol Spray, Stix Essential RES Aerosol Spray, Stix Essential HS Aerosol Spray, XL Brands 2000 Plus Adhesive, HM 99 Adhesive, HydraStix 95 Aerosol Adhesive, XL Brands 2500 Plus, HydraStix 95 Resilient, XL Brands VS95, XL Brands 3800, Stix 2220, Stix 2400, XL SSK-77

Russ DeLozier, President
The Carpet and Rug Institute, Inc.

Certification Date: 6/26/2008
Expiration Date: 12/31/2025

To view all GLP-Certified products visit <https://carpet-rug.org/glpproducts>

Page 1 of 1



THE CARPET AND RUG INSTITUTE
100 S HAMILTON STREET
DALTON, GA 30720-4612
UNITED STATES



GLP12074

This product complies with
California DPH Section 01350
Version 1.2

A USGBC® recognized third party
certification program for LEED v4.1
EQ Credit Low-Emitting Materials.

