

GREEN LABEL PLUS

INDOOR AIR QUALITY TESTING PROGRAM

THIS CERTIFIES THAT

IVC US Inc.

101 Ivc Dr, Dalton, GA 30721, United States

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG
INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

A-2 Pressure Sensitive

Adhesive Applied in Mass Per Surface Area: 8.36 g of product per 0.0361 m²

Private Office Range of Total VOCs: 0.5 mg/m³ or less

School Classroom Range of Total VOCs: 0.5 mg/m³ or less

Type of Product: Single Part Wet Adhesive

Description: IVC Flex-Tech



THE CARPET AND RUG INSTITUTE

100 S HAMILTON STREET
DALTON, GA 30720-4612
UNITED STATES



GLP13501



This product category complies with
the concentration limits specified in
California DPH Section
01350 Version 1.2.

USGBC® recognizes CRI's Green Label
Plus certification for LEED (v4.1 and v5)
EQ Credit Low-Emitting Materials.

Russ DeLozier, President
The Carpet and Rug Institute, Inc.

Certification Date: 12/14/2009
Expiration Date: 9/27/2026

To view all GLP-Certified products visit <https://carpet-rug.org/glpproducts>
Page 1 of 1