GREEN LABEL PLUS

INDOOR AIR QUALITY TESTING PROGRAM

THIS CERTIFIES THAT

Tarkett USA, Inc.

Lexmark 1000 Vista Drive, Dalton, GA 30721, United States

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

A-3 Floor Adhesive for Vinyl Backs

Adhesive Applied in Mass Per Surface Area: 12.31 g of product per 0.0361 m²

Private Office Range of Total VOCs: 0.5 mg/m³ or less School Classroom Range of Total VOCs: 0.5 mg/m³ or less

Type of Product: Single Part Wet Adhesive

Description: 926 Vinyl Flooring Adhesive, 965 Flooring & Tread Adhesive

Russ DeLozier, President The Carpet and Rug Institute, Inc.

Certification Date: 2/25/2016 Expiration Date: 3/31/2026

To view all GLP-Certified products visit https://carpet-rug.org/glpproducts Page 1 of 1





GLP37689



PRODUCT CERTIFICATION BODY #0754

This product category complies with the concentration limits specified in California DPH Section 01350 Version 1.2.

USGBC® recognizes CRI's Green Label Plus certification for LEED (v4.1 and v5) EQ Credit Low-Emitting Materials.