

# GREEN LABEL PLUS

## INDOOR AIR QUALITY TESTING PROGRAM

THIS CERTIFIES THAT

### Sika Corporation

201 Polito Ave Lyndhurst, New Jersey 07071 United States

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG  
INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

### A-13 Rubber Flooring Adhesive

Adhesive Applied in Mass Per Surface Area: 8.6 g of product per 0.0361 m<sup>2</sup>

Private Office Range of Total VOCs: 0.5 mg/m<sup>3</sup> or less

School Classroom Range of Total VOCs: 0.5 mg/m<sup>3</sup> or less

Type of Product: Single Part Wet Adhesive

Description: DriTac 5800 ToughBond and DriTac 5900 MegaBond



THE CARPET AND RUG INSTITUTE

100 S HAMILTON STREET

DALTON, GA 30720-4612

UNITED STATES



## GLP52788

This product complies with  
California DPH Section 01350  
Version 1.2

A USGBC® recognized third party  
certification program for LEED v4.1  
EQ Credit Low-Emitting Materials.



Russ DeLozier, President  
The Carpet and Rug Institute, Inc.

Certification Date: 8/11/2014  
Expiration Date: 3/31/2024

To view all GLP-Certified products visit <https://carpet-rug.org/glpproducts>