

GREEN LABEL PLUS

INDOOR AIR QUALITY TESTING PROGRAM

THIS CERTIFIES THAT

XL Brands

198 Nexus Dr, Dalton, GA 30721, United States

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG
INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

A-4 Latex Seam Adhesive

Adhesive Applied in Mass Per Surface Area: 2.81 g of product per 0.292 m²

Private Office Range of Total VOCs: 0.5 mg/m³ or less

School Classroom Range of Total VOCs: 0.5 mg/m³ or less

Type of Product: Single Part Wet Adhesive

Description: Stix Seam, Stix Seam 10K, Stix Seam Latex, Stix Seam Weld



THE CARPET AND RUG INSTITUTE

100 S HAMILTON STREET

DALTON, GA 30720-4612

UNITED STATES



GLP60124



This product category complies with
the concentration limits specified in
California DPH Section
01350 Version 1.2.

USGBC® recognizes CRI's Green Label
Plus certification for LEED (v4.1 and v5)
EQ Credit Low-Emitting Materials.

Russ DeLozier, President
The Carpet and Rug Institute, Inc.

Certification Date: 9/28/2006
Expiration Date: 3/30/2026

To view all GLP-Certified products visit <https://carpet-rug.org/glpproducts>
Page 1 of 1