

GREEN LABEL PLUS

INDOOR AIR QUALITY TESTING PROGRAM

THIS CERTIFIES THAT
Tarkett USA, Inc.

Lexmark
1000 Vista Drive, Dalton, GA 30721, United States

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG
INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

A-4 Latex Seam Adhesive

Adhesive Applied in Mass Per Surface Area: 2.81 g of product per 0.292 m²
Private Office Range of Total VOCs: 0.5 mg/m³ or less
School Classroom Range of Total VOCs: 0.5 mg/m³ or less
Type of Product: Single Part Wet Adhesive

Description: C-XL Universal Seam Sealer

Russ DeLozier, President
The Carpet and Rug Institute, Inc.

Certification Date: 7/25/2008
Expiration Date: 6/29/2026

To view all GLP-Certified products visit <https://carpet-rug.org/glpproducts>
Page 1 of 1



THE CARPET AND RUG INSTITUTE
100 S HAMILTON STREET
DALTON, GA 30720-4612
UNITED STATES



GLP60151



This product category complies with
the concentration limits specified in
California DPH Section
01350 Version 1.2.

USGBC® recognizes CRI's Green Label
Plus certification for LEED (v4.1 and v5)
EQ Credit Low-Emitting Materials.