

# GREEN LABEL PLUS

## INDOOR AIR QUALITY TESTING PROGRAM

THIS CERTIFIES THAT

## TEC Specialty Products, LLC

1702 Kimberly Park Dr, Dalton, Georgia 30720, United States

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG  
INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

### A-2 Pressure Sensitive

Adhesive Applied in Mass Per Surface Area: 9.7 g of product per 0.0361 m<sup>2</sup>

Private Office Range of Total VOCs: 0.5 mg/m<sup>3</sup> or less

School Classroom Range of Total VOCs: 0.5 mg/m<sup>3</sup> or less

Type of Product: Single Part Wet Adhesive

Description: TEC 749, Flexera, Flexera HT, Fusion Series 5082, Flexera Series 5092, Fusion Series 5092 HT, Signature Series 5060, Signature Series 5080, Fortane LVT-1F



THE CARPET AND RUG INSTITUTE  
100 S HAMILTON STREET  
DALTON, GA 30720-4612  
UNITED STATES



**GLP64321**



This product category complies with  
the concentration limits specified in  
California DPH Section  
01350 Version 1.2.

USGBC® recognizes CRI's Green Label  
Plus certification for LEED (v4.1 and v5)  
EQ Credit Low-Emitting Materials.

Russ DeLozier, President  
The Carpet and Rug Institute, Inc.

Certification Date: 10/31/2005  
Expiration Date: 9/28/2026

To view all GLP-Certified products visit <https://carpet-rug.org/glpproducts>  
Page 1 of 1