GREEN LABEL PLUS

INDOOR AIR QUALITY TESTING PROGRAM

THIS CERTIFIES THAT **Capitol Adhesives**

1001 Broken Sound Pkwy, NW, Suite A, Boca Raton, FL 33487, United States

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

A-1 Latex Multi-Purpose Floor Adhesive

Adhesive Applied in Mass Per Surface Area: 14.84 g of product per 0.0361 m²

Private Office Range of Total VOCs: 0.5 mg/m³ or less School Classroom Range of Total VOCs: 0.5 mg/m³ or less

Type of Product: Single Part Wet Adhesive

Description: CA024, MP100, MP240, MP340, VA380, CA110

Russ DeLozier, President The Carpet and Rug Institute, Inc. Certification Date: 1/14/2012 **Expiration Date:** 12/29/2025





GLP70905

This product category complies with the concentration limits specified in California DPH Section 01350 Version 1.2.

A USGBC® recognized third party certification program for LEED v4.1 **EQ Credit Low-Emitting Materials.**



#0754

To view all GLP-Certified products visit https://carpet-rug.org/glpproducts Page 1 of 1