## GREEN LABEL PLUS

INDOOR AIR QUALITY TESTING PROGRAM
THIS CERTIFIES THAT
Advanced Adhesive Technologies,
LLC

424 S Spencer St, Dalton, GA 30721, United States

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

## **A-1 Latex Multi-Purpose Floor Adhesive**

Page 1 of 1

Adhesive Applied in Mass Per Surface Area: 15.14 g of product per 0.0361 m<sup>2</sup>

Private Office Range of Total VOCs: 0.5 mg/m³ or less School Classroom Range of Total VOCs: 0.5 mg/m³ or less

Type of Product: Single Part Wet Adhesive

Description: 188, 200, 210, 230, 260, 261, 270, 271, 272, 275, 280, 290, 295, 335, 370, 390

Russ DeLozier, President The Carpet and Rug Institute, Inc.

Certification Date: 10/31/2005 Expiration Date: 12/31/2025

To view all GLP-Certified products visit https://carpet-rug.org/glpproducts





**GLP70912** 



PRODUCT CERTIFICATION BODY #0754

This product category complies with the concentration limits specified in California DPH Section 01350 Version 1.2.

USGBC® recognizes CRI's Green Label Plus certification for LEED (v4.1 and v5) EQ Credit Low-Emitting Materials.