## GREEN LABEL PLUS

## **INDOOR AIR QUALITY TESTING PROGRAM**

THIS CERTIFIES THAT

## Milliken & Company

PO Box 1926, 920 Milliken Road M-620, Spartanburg, SC 29304, United States

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

## 5Y Post-dyed Nylon with Polyurethane Backing

Private Office Range of Total VOCs: 0.5 mg/m³ or less School Classroom Range of Total VOCs: 0.5 mg/m³ or less

Type of Product: Modular Tile

Description: Print Works, Digital Dye Injected (DDI) WellBAC™ Comfort ES/ESP, WellBAC™ Comfort Plus ES/ESP

Russ DeLozier, President The Carpet and Rug Institute, Inc.

Certification Date: 9/15/2004 Expiration Date: 9/30/2025

To view all GLP-Certified products visit https://carpet-rug.org/glpproducts Page 1 of 1





**GLP0793** 

This product category complies with the concentration limits specified in California DPH Section 01350 Version 1.2.

A USGBC® recognized third party certification program for LEED v4.1 EQ Credit Low-Emitting Materials.



PRODUCT CERTIFICATION BODY #0754