GREEN LABEL PLUS

INDOOR AIR QUALITY TESTING PROGRAM

Acoufelt Pty Ltd

Level 8, 26 Flinders St, Adelaide South Australia 5000, Australia

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

9X Pre-dyed Nylon with SB Latex Backing

Private Office Range of Total VOCs: 0.5 mg/m³ or less School Classroom Range of Total VOCs: 0.5 mg/m³ or less

Type of Product: Modular Tile

Description: Carpet tiles featuring QuietBack™ have been designed specifically for sound absorption. The air flow, breathable feature of QuietBack™ is the result of removing harmful and sound-inhibiting PVC, bitumen and fiberglass substrates, allowing the product to offer both environmental and acoustical benefits.

Russ DeLozier, President The Carpet and Rug Institute, Inc.

Certification Date: 6/15/2022 Expiration Date: 12/31/2025

Expiration Date: 12/31/20





GLP100666

This product category complies with the concentration limits specified in California DPH Section 01350 Version 1.2.

A USGBC® recognized third party certification program for LEED v4.1 EQ Credit Low-Emitting Materials.



To view all GLP-Certified products visit https://carpet-rug.org/glpproducts Page 1 of 1