

GREEN LABEL PLUS

INDOOR AIR QUALITY TESTING PROGRAM

THIS CERTIFIES THAT

**ANKER Gebr. Schoeller GmbH +
Co.KG**

Zollhausstr. 112 D-52353 Düren, Germany

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG
INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

CN2 Nylon with Amorphous Resin Backing

Private Office Range of Total VOCs: 0.5 mg/m³ or less

School Classroom Range of Total VOCs: 0.5 mg/m³ or less

Type of Product: Modular Tile



THE CARPET AND RUG INSTITUTE
100 S HAMILTON STREET
DALTON, GA 30720-4612
UNITED STATES



GLP101244



This product category complies with
the concentration limits specified in
California DPH Section
01350 Version 1.2.

USGBC® recognizes CRI's Green Label
Plus certification for LEED (v4.1 and v5)
EQ Credit Low-Emitting Materials.

Russ DeLozier, President
The Carpet and Rug Institute, Inc.

Certification Date: 2/11/2026
Expiration Date: 3/31/2027

To view all GLP-Certified products visit <https://carpet-rug.org/glpproducts>
Page 1 of 1