# GREEN LABEL PLUS

## INDOOR AIR QUALITY TESTING PROGRAM

### THIS CERTIFIES THAT

# Engineered Floors LLC

Dream Weaver, Dwellings, EF Contract, EF Hospitality, EF Multifamily, J+J Flooring Group, Pentz

1502 Coronet Dr, Dalton, GA 30720, United States

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

## CP13 Polyester with PVC Backing

Private Office Range of Total VOCs: 0.5 mg/m³ or less
School Classroom Range of Total VOCs: 0.5 mg/m³ or less
Type of Product: Modular Tile

Description: Nexus

Russ DeLozier, President
The Carpet and Rug Institute, Inc.

Certification Date: 5/12/2017
Expiration Date: 6/30/2027

To view all GLP-Certified products visit https://carpet-rug.org/glpproducts



THE CARPET AND RUG INSTITUTE
100 S HAMILTON STREET
DALTON, GA 30720-4612
UNITED STATES

GREEN LABEL +PLUS® Indoor Air Quality Testing Program

**GLP2526**

ANAB ANSI National Accreditation Board ACCREDITED ISO/IEC 17065 PRODUCT CERTIFICATION BODY #0754

**This product category complies with the concentration limits specified in California DPH Section 01350 Version 1.2.**

**USGBC® recognizes CRI's Green Label Plus certification for LEED (v4.1 and v5) EQ Credit Low-Emitting Materials.**