GREEN LABEL PLUS

INDOOR AIR QUALITY TESTING PROGRAM

THIS CERTIFIES THAT

Engineered Floors LLC

Dream Weaver, Dwellings, EF Contract, EF Hospitality, EF Multifamily, J+J Flooring
Group, Pentz
1502 Coronet Dr. Dalton, GA 30720, United States

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

2X Pre-dyed Polyester with Polyurethane Backing

Page 1 of 1

Private Office Range of Total VOCs: 0.5 mg/m³ or less School Classroom Range of Total VOCs: 0.5 mg/m³ or less Type of Product: Broadloom, Modular Tile

Description: Kanga, Flexbac, Purebac

Russ DeLozier, President The Carpet and Rug Institute, Inc.

Certification Date: 5/12/2017 Expiration Date: 6/30/2026

To view all GLP-Certified products visit https://carpet-rug.org/glpproducts





GLP3339



PRODUCT CERTIFICATION BODY #0754

This product category complies with the concentration limits specified in California DPH Section 01350 Version 1.2.

USGBC® recognizes CRI's Green Label Plus certification for LEED (v4.1 and v5) EQ Credit Low-Emitting Materials.