GREEN LABEL PLUS

INDOOR AIR QUALITY TESTING PROGRAM

THIS CERTIFIES THAT

Engineered Floors LLC

Dream Weaver, Dwellings, EF Contract, EF Hospitality, EF Multifamily, J+J Flooring Group, Pentz

1502 Coronet Dr, Dalton, GA 30720, United States

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

CN14 Nylon with SB Latex Backing

Private Office Range of Total VOCs: 0.5 mg/m³ or less
School Classroom Range of Total VOCs: 0.5 mg/m³ or less
Type of Product: Broadloom

Russ DeLozier, President
The Carpet and Rug Institute, Inc.

Certification Date: 3/29/2004
Expiration Date: 12/31/2027

To view all GLP-Certified products visit https://carpet-rug.org/glpproducts

THE CARPET AND RUG INSTITUTE
100 S HAMILTON STREET
DALTON, GA 30720-4612
UNITED STATES

GREEN LABEL +PLUS® Indoor Air Quality Testing Program

GLP5055

ANAB ANSI National Accreditation Board ACCREDITED ISO/IEC 17065 PRODUCT CERTIFICATION BODY #0754

This product category complies with the concentration limits specified in California DPH Section 01350 Version 1.2.

USGBC® recognizes CRI's Green Label Plus certification for LEED (v4.1 and v5) EQ Credit Low-Emitting Materials.