GREEN LABEL PLUS

INDOOR AIR QUALITY TESTING PROGRAM

THIS CERTIFIES THAT

INTERFLOOR LTD

Broadway, Haslingden, Lancashire, BB4 4LS, United Kingdom

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

CC-2 Bonded Polyurethane

Private Office Range of Total VOCs: 0.5 mg/m³ or less
School Classroom Range of Total VOCs: 0.5 mg/m³ or less

Description: Rebond Polyurethane Underlay

Russ DeLozier, President
The Carpet and Rug Institute, Inc.

Certification Date: 6/22/2015
Expiration Date: 9/30/2027

To view all GLP-Certified products visit https://carpet-rug.org/glpproducts

THE CARPET AND RUG INSTITUTE
100 S HAMILTON STREET
DALTON, GA 30720-4612
UNITED STATES

GREEN LABEL +PLUS® Indoor Air Quality Testing Program

GLP050

ANAB ANSI National Accreditation Board ACCREDITED ISO/IEC 17065 PRODUCT CERTIFICATION BODY #0754

This product category complies with the concentration limits specified in California DPH Section 01350 Version 1.2.

USGBC® recognizes CRI's Green Label Plus certification for LEED (v4.1 and v5) EQ Credit Low-Emitting Materials.