

GREEN LABEL PLUS

INDOOR AIR QUALITY TESTING PROGRAM

THIS CERTIFIES THAT
Carpenter Co.

Carpenter Co. E.R. Carpenter, L.P. Carpenter Canada Co
5016 Monument Ave, Richmond, Virginia 23230, United States

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG
INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

CC-2 Bonded Polyurethane

Private Office Range of Total VOCs: 0.5 mg/m³ or less
School Classroom Range of Total VOCs: 0.5 mg/m³ or less

Description: Refers to all bonded foam products manufactured by Carpenter Co. in USA and Canada



THE CARPET AND RUG INSTITUTE
100 S HAMILTON STREET
DALTON, GA 30720-4612
UNITED STATES



GLP113



This product category complies with
the concentration limits specified in
California DPH Section
01350 Version 1.2.

USGBC® recognizes CRI's Green Label
Plus certification for LEED (v4.1 and v5)
EQ Credit Low-Emitting Materials.

Russ DeLozier, President
The Carpet and Rug Institute, Inc.

Certification Date: 9/29/2014
Expiration Date: 9/30/2026

To view all GLP-Certified products visit <https://carpet-rug.org/glpproducts>
Page 1 of 1