

# GREEN LABEL PLUS

## INDOOR AIR QUALITY TESTING PROGRAM

THIS CERTIFIES THAT

## Dunlop Flooring LP (New Zealand)

680 Rosebank Road, Avondale, Auckland Auckland 1026, New Zealand

HAS MET THE REQUIREMENTS OF THE CARPET AND RUG  
INSTITUTE'S GREEN LABEL PLUS PROGRAM FOR CATEGORY:

### CC-2 Bonded Polyurethane

Private Office Range of Total VOCs: 0.5 mg/m<sup>3</sup> or less

School Classroom Range of Total VOCs: 0.5 mg/m<sup>3</sup> or less

Description: Dunlop Maxbond Carpet Cushion

Russ DeLozier, President  
The Carpet and Rug Institute, Inc.

Certification Date: 4/19/2017  
Expiration Date: 3/31/2026

To view all GLP-Certified products visit <https://carpet-rug.org/glpproducts>  
Page 1 of 1



THE CARPET AND RUG INSTITUTE  
100 S HAMILTON STREET  
DALTON, GA 30720-4612  
UNITED STATES



## GLP261



This product category complies with  
the concentration limits specified in  
California DPH Section  
01350 Version 1.2.

USGBC® recognizes CRI's Green Label  
Plus certification for LEED (v4.1 and v5)  
EQ Credit Low-Emitting Materials.